
CONTROL APPROVAL SYMBOL SPMCS-123



WEEKLY HEALTH REPORT

CURRENT MORBIDITY DATA FOR THE ARMY IN THE CONTINENTAL UNITED STATES

WEEK ENDING I FEBRUARY 1946



ANNUAL MORBIDITY RATE FROM ALL CAUSES COMBINED

PER 1000 STRENGTH

DISEASE WWW

INJURY

ARMY

MEDICAL FEB 26 1946

LIBRARY

THIS DOCUMENT CONTAINS INFORMATION AFFECTING THE NATIONAL DEFENSE OF THE UNITED STATES WITHIN THE MEANING OF THE ESPIONAGE ACT, 50 U. S. C., 31 AND 32, AS AMENDED. ITS TRANSMISSION OR THE REVELATION OF ITS CONTENTS IN ANY MANNER TO AN UNAUTHORIZED PERSON IS PROHIBITED BY LAW.

CONTENTS

DATA FOR WEEK ENDING I FEBRUARY 1946

NATURE OF THE DATA				nisplants	Jesumi Jesumi	• •	PAGE 2
COMMENT ON CURRENT TRENDS	IA SERVICE						5
SUMMARY FOR TOTAL UNITED STATES AND THE SERVICE	E COMMA	NDS.		· ·	·		9
MORBIDITY DATA FOR INDIVIDUAL STATIONS (OTHER THE HAVING A STRENGTH OF 5000 OR OVER				THE REAL PROPERTY.	date to li		11
STATIONS WITH HIGHEST MORBITY RATES				in annual la			18
CASES OF DISEASES WHICH ARE OF SPECIAL INTEREST.		30 11 -15	Jan bile				1.9

WEEKLY HEALTH REPORT NATURE OF THE DATA

The data presented here are taken from the Statistical Health Reports, WD AGO 8-122, rendered weekly to the Office of The Surgeon General by every hospital and separate dispensary in the continental United States. Troops in transit and certain small detachments are not required to submit reports; for this and other reasons, total strength of reporting units has been consistently about 1 percent below the actual strength of the Army in this country. The mean strength shown for individual stations is that of Army personnel attached or assigned for medical care and does not include organizations not on the post but dependent on the station for hospitalization.

Because of the desirability of placing the information in circulation at the earliest possible time following its receipt, figures are in general shown herein as reported. Where there is some doubt as to the accuracy of the reported figures, their verification is requested, and the fact that they have been so questioned is indicated by the symbol (!).

MORBIDITY DATA

Admissions are reported only for cases admitted to a medical installation (either to hospital or quarters) and not returned to duty within the same day, except for certain cases carded for record only (chiefly venereal disease cases treated on a duty status, and deaths which occurred before admission to hospital or quarters). Admissions designated as "injury" comprise all "new" traumatisms (i.e., morbid conditions due to external causes, including poisons taken internally, results of exposure to heat, cold and light, as well as various types of wounds not due to enemy action) other than battle casualties. Under present conditions there would not be any direct admissions in the continental United States properly classifiable as battle casualties. All cases other than those of injury or battle casualty are classified as "disease."

Admission rates are shown for all causes combined, for all diseases combined, for injuries and for a few specific diseases. These rates are presented on an annual basis to facilitate comparisons with corresponding rates in annual and monthly reports. Such annual rates of admission indicate the number of admissions per thousand mean strength which would occur over a year's time if the current week's experience continued for a year.

The report also shows the number of cases of the more common communicable and certain other diseases of special interest. It may be noted that under the term infectious hepatitis are included cases reported as jaundice and cholangitis. Appended is a list of cases reported for the rarer communicable and certain other diseases.

The average proportion of the daily strength of the command which is confined to hospital or quarters (mean number of non-effectives per thousand strength) is given in the summary table for the total United States and for each of the Service Commands. More significant is the estimated non-effective rate for personnel stationed in the United States shown in the chart on page 7.

The number of enlisted men discharged during the week on Certificates of Disability for Discharge (CDD) are shown for individual stations. These data should be distinguished from the figures for "honorable discharges for physical and mental disqualification" assembled by The Adjutant General's Office; the latter include discharges for inaptness in addition to CDD's and are tabulated on a somewhat different basis (e.g., the April data represent April discharges processed by the AGO during April and May plus discharges prior to April which were processed in May).

In making comparisons between Service Commands it should be borne in mind that morbidity rates naturally tend to be higher in those Service Commands which have a relatively large number of General Hospitals and Ports of Embarkation. The presence of sizeable numbers of troops not under the jurisdiction of a Service Command (e.g. casuals, task force troops, etc.) affects the interpretation of the data from the viewpoint of Command responsibility.

MORTALITY DATA

Recent studies indicate that the reporting of deaths on WD AGO 8-122 is incomplete, especially in the case of deaths from injury. The resulting understatement in the mortality rate from injury may be as much as 10 percent and occasionally even more, but the death rate from disease is not materially understated. Therefore in computing mortality rates from injury and from all causes on the basis of the corresponding numbers of deaths, as shown in this report, an appropriate adjustment for the underreporting of such deaths must be made.

STATIONS WITH RIGHEST MORBIDITY RATES

Included in the report is a table listing the stations (having strength of 5000 or over) with the highest morbidity rates from all causes, from all diseases combined, from injuries, and from a few specific diseases. Not infrequently, the excessively high rates of admission for all causes and for all diseases combined reported from reception centers reflect a large number of venereal disease cases among newly inducted men. Therefore, more significant of high morbidity from disease are the rates of admission for disease excluding venereal infections existing prior to induction, which rates are also shown in the table. It should also be noted that reception, redistribution, and separation centers frequently report relatively large numbers of admissions arising from routine physical examinations of large bodies of troops.


EXPLANATORY MATTER

In reading the detail tables, it should be born in mind that admission rates based on small numbers of cases are not reliable. For this reason the symbol (?) is placed after admission rates computed on the basis of 5 or fewer cases.


Where the current week's data for a particular station have not been received, the latest available figures are substituted therefor and the symbol (#) is placed after the name of the station.

MORBIDITY FROM —— ALL CAUSES —— INJURY ONLY

CONTINENTAL UNITED STATES



MORBIDITY FROM ---- DISEASE COLDS INFLUENZA ETC.



RESTRICTED

COMMENT ON CURRENT TRENDS

MORBIDITY FROM: All Causes:

(See Chart on page 3.)

Morbidity from all causes during the week ended 1 February showed little change, being reported at 622 admissions per thousand troops per annum, as compared with 627 during the preceding week.

Injury: (See Chart on page 3.)

Injury admissions decreased from 29 per thousand troops per annum in the week ended 25 January to 28 per thousand in the current week. Highest rate was that reported from the Eighth Service Command (34 per thousand), ranging down to 18 per thousand in the Fifth Service Command.

Diseases:

(See Chart on opposite page.)

Morbidity from all diseases in the United States as a whole during the week remained substantially unchanged at 594 admissions per thousand troops per annum. However, the rate in the Third Service Command moved sharply upward again as incidence of common respiratory diseases in that area continued to increase.

Respiratory Diseases:

(See Chart on opposite page.)

The rate for colds, influenza, etc., increased during the week (179 per thousand to 186 per thousand) to the highest point reported this winter. These rates for the corresponding periods last year were 188 and 195 per thousand (the latter figure representing last winter's peak incidence). Rates in 1944, moving downward from peak incidence of about 600 per thousand experienced in mid-December, 1943, were 332 and 274 per thousand.

This rate increased sharply in the current week in the Third Service Command (250 to 320 admissions per thousand troops per annum), the Fifth Service Command (103 to 124 such admissions), and the Military District of Washington (390 to 439). Morbidity continued highest in the Military District, and lowest in the Fifth Service Command.


Admissions for all forms of primary pneumonia remained at 16 admissions per thousand troops per annum; however, the rate for primary pneumonias other than atypical moved from 5.4 to 6.4 admissions per thousand troops. In the corresponding periods of last year this rate was 4.4 and 4.7 per thousand troops, while it fell from the winter's peak incidence of 13.7 to 10.3 in these weeks two years ago.

1946 OFFICE OF THE SURGEON GENERAL


MEDICAL STATISTICS DIVISION HEALTH REPORTS BRANCH

NONEFFECTIVE RATE

CONTINENTAL UNITED STATES



PATIENTS REMAINING IN HOSPITAL



1945

-6-

1944

RESTRICTED

COMMENT ON CURRENT TRENDS (CONT.)

Primary pneumonia admissions (for all forms) increased in the Third, Fourth, Fifth and Eighth Service Commands and the Military District of Washington; (where the rate reached 37 admissions per thousand troops).

Venereal Diseases:

New admissions for non-EPTS venereal diseases decreased during the "pay-day" week ended 1 February to 61 per thousand troops per annum, from the rate of 69 per thousand reported in the previous week. (These rates are normally lower during the first week of the month, increasing through the third or fourth report period.) Morbidity from these causes decreased or remained substantially unchanged in all service commands except the Third, where the rate moved from 79 to 102 admissions per thousand troops per annum; incidence ranged downward from the high Third Service Command figure to 35 such admissions in the First Service Command and the Military District of Washington.

Other Communicable Diseases:

Incidence of diarrhea and dysentery decreased from 4 to 3 admissions per thousand troops per annum. A high rate of 23 in the First Service Command reflects 24 cases of dysentery, unclassified, reported by Lovell General Hospital.

NONEFFECTIVE RATE: (See Chart on page 6.)

The noneffective rate for personnel stationed in the continental United States is estimated at 39.9 per thousand troops per diem for the week ended 1 February as compared with 35.9 per thousand for the corresponding week of 1945.

PATIENTS REMAINING UNDER TREATMENT: 1 FEBRUARY 1946: (See Chart on page 6.)

The number of patients remaining in hospital in the Zone of Interior, including patients transferred from overseas, decreased during the week to 146,792 as compared with 153,221 at the end of the previous week.


The number of neuropsychiatric cases remaining was 10,371 or about 700 less than at the end of the previous week. Nonbattle injury patients remaining numbered about 24,971. The battle casualty patients remaining decreased by about 2100 to 35,489.

CERTIFICATES OF DISABILITY FOR DISCHARGE: (See Chart on page 8.)

In the week ended 1 February there were 4568 enlisted personnel discharged by CDD (about the same as the previous week). These discharges included 130 CDD's accomplished at Air Force medical activities. Among these CDD's were 809 neuropsychiatric cases, about 60 less than in the previous week.

CERTIFICATES OF DISABILITY FOR DISCHARGE

CONTINENTAL UNITED STATES



VOLUME VI REPORT NO. 5 WEEK ENDING 1 Pebruary 1946

WEEKLY HEALTH REPORT

SUMMARY FOR TOTAL UNITED STATES
AND THE SERVICE COMMANDS

RESTRICTED

ADMISSIONS MEAN NUMBER OF MEAN ANNUAL RATE ANNUAL CASE RATE SERVICE COMMAND NONEFFECTIVES PER 1000 STRENGTH PER 1000 STRENGTH STRENGTH PER VENEREAL. COLDS, INFLU-PNEUMONIA DIARRHEA AND ALL CAUSES INJURY DISEASE 1000 STRENGTH (INCL. ATYPICAL) DYSENTERY ENZA. ETC. * (EXCL. EPTI) CURRENT WEEK COMPARED WIT PREVIOUS WFFK Previous urrent Previous Previous Current Previous Current Previous Current Previous Current Previous Previous Previous week TOTAL UNITED STATES FIRST SERVICE COMMAND 3? SECOND SERVICE COMMAND THIRD SERVICE COMMAND 1? 1? MIL. DIST. OF WASHINGTON 1? FOURTH SERVICE COMMAND FIFTH SERVICE COMMAND 2? 2? SIXTH SERVICE COMMAND 2? SEVENTH SERVICE COMMAND EIGHTH SERVICE COMMAND NINTH SERVICE COMMAND CURRENT YEAR TO DATE COMPARED WITH CORRESPONDING PERIOD PREVIOUS YEAR Current Previous Current Previous Current Previous Current Previous Current Previous Previous Year Year Year Year Year Year Year Year TOTAL UNITED STATES FIRST SERVICE COMMAND SECOND SERVICE COMMAND 19.7058 THIRD SERVICE COMMAND MIL. DIST. OF WASHINGTON FOURTH SERVICE COMMAND FIFTH SERVICE COMMAND SIXTH SERVICE COMMAND 60L SEVENTH SERVICE COMMAND 6h EIGHTH SERVICE COMMAND NINTH SERVICE COMMAND 51.6

FORM SG-396B REVISED 13 NOVEMBER 1943
RESTRICTED **DOES NOT INCLUDED

**DOES NOT INCLUDE EVACUEES.

Includes Acute Bronchitis, Acute Rhinitis, Coryza, Acute Tonsillitis, Acute Pharyngitis, Acute Nasopharyngitis, Acute Laryngitis, and Influenza.

WEEKLY HEALTH REPORT RESTRICTED

- SUMMARY FOR TOTAL UNITED STATES AND THE SERVICE COMMANDS WEEK ENDING 7 February 194 6

						D M I	S S BER OF G		S					NUME	ER O	FDEA		ONS
SERVICE	MEAN * STRENGTH	MEASLES	MUMPS	SCARLET	M'COCCIC MENINGITIS	RHEUMATIC	ATY RICAL PNEUMONIA	INFECTIOUS HEPATITI'S		OUT OF	TUBERCULOSIS	STREPTO- GOGGAL SORE THROAT	SCABIES	ALL	DISEASE	INJURY	GASUALTY	NUMBER OF DISPOSITIONS
				(CUR	RE	NT	W	EE	<								
TOTAL UNITED STATES	1870824	248	192	158	14	39	351	151	5	371	166	51	349	74	52	18	4	4568
FIRST SERVICE COMMAND	64424	3	7	17	2	1	5	35		11	15		10					301
SECOND SERVICE COMMAND	175987	14	8	8		2	25	21	1	28	3	2	40	8	8			57
THIRD SERVICE COMMAND	178995	36	9	8	3	1	34	4		22	19	20	15	4	4			526
MIL. DIST, OF WASHINGTON	49407	11	2	25	1		14	3		9	1		5	5	4	1		50
FOURTH SERVICE COMMAND	382474	16	30	17	5	8	100	11	4	51	9		35	12	8	4		676
FIFTH SERVICE COMMAND	130651	6	5	15	-	4	7	12		47	5	8	17	7	14	1	2	561
SIXTH SERVICE COMMAND	110981	9	4	4		2	18	20		36	23		63	7	5	1	1	32
SEVENTH SERVICE COMMAND	160429	19	52	37		8	144	4		26	13	12	39	10	8	2		449
EIGHTH SERVICE COMMAND	298851	86	46	18	3	11	62	20		57	48	3	55	12	7	4	1	601
NINTH SERVICE COMMAND	318625	48	29	9		2	42	21		84	30	6	70	9	4	5		508
				Р	RE	V 1 0	US	W	EE	К								
TOTAL UNITED STATES	1915481	204	179	85	23	32	373	131	1	402	140	44	374	72	45	26	1	4496
FIRST SERVICE COMMAND	67106		4	6	1	1	10	11		13	7	1	14	1	1			291
SECOND SERVICE COMMAND	172612	10	6	3	3	2	47	17		53	6		54	8	6	2		566
THIRD SERVICE COMMAND	179683	16	18	7		1	37	9		26	23	7	31	5	1	4		483
MIL. DIST. OF WASHINGTON	48753	1	4	12	3		8	1		2		6	2	5	5			62
FOURTH SERVICE COMMAND	386567	23	1414	19	5	6	83	25		48	10	2	33	9	3	6		616
FIFTH SERVICE COMMAND	140529	4	7	5	2	3	17	7		38	5	2	33	5	3	2		495
SIXTH SERVICE COMMAND	117787	6	6	7	1	4	24	26		ш	25	8	63	3	1	2		389
SEVENTH SERVICE COMMAND	163157	36	21	10		1	50	7		40	13	2	31	8	6.	2		49
EIGHTH SERVICE COMMAND	312806	55	40	6	6	10	51	14		43	22	4	41	9	5	3	1	530
NINTH SERVICE COMMAND	326481	53	29	10	2	4	46	14	1	98	29	12	72	19	14	5		562

FORM SG-396C REVISED 2 DEC. 1944

* SEE NATURE OF THE DATA, PAGE 2

RESTRICTED

RESTRICTED

VOLUME VI REPORT NO. 5 WEEK ENDING 1 February 194 6

INDIVIDUAL STATIONS

						DM			0 N	S						N	UMBE	R	s u Z
SERVICE COMMAND	MEAN	PER II	NUAL RA	TE ENGTH		UAL CAR TOOO	STREN	ATE GTH		N	JMBE	R OF				D	EATH	S	20 PT OF
AND STATION	STRENGTH	ALL	DISEASE	INJURY	COLDS, INFLUENZA, ETC.,	PNEUMONIA (INCLUDING ATYPICAL)	DI ARRHEA AND DYSENTERY	VENEREAL* (EXCLUDING EPTS)	MEASLES	MUMPS	SCARLET	M*COCCIC MENINGITIS	RHEUMATIC	ATYPICAL PNEUMONIA	INFECTIOUS	ALL CAUSES	DISEASE	INJURY	DISPOSITIONS BY CDD
FIRST SERVICE COMMAND	61411214	580	553	27	158	9	23	35	3	7	17	2	1	5	35				301
Devens, Ft., Mass.	31183	554	539	15	175			30	3	2	1				2				
TOTAL: ALL STATIONS UNDER 5000 STR. & MISC. UNITS	33281	604	566	38	142	17	44	67		5	16	2	1	5	33				301
SECOND SERVICE COMMAND	175987	620	600	20	152	13	4	59	14	8	8		2	25	21	8	8		573
Dix, Ft., N. J.	56352	581	578	3?	100	9	5?	30		3	2			10	4				211
Hancock, Ft., N. J.	9964	663	637	26?	245	31).	78			-			1	4	1	1		
Kilmer, Cp., N. J.	29895	534	511	23	47	7?		148	7	3	5			2	6				
Mitchel Field, N. Y. (RH)	8275	427	421	6?	119	13?		44		2				1	4				5
Monmouth, Ft., N. J. (RH)	10969	645	626	19?	133	14?		14?			1		2	3					14
Shanks, Cp., N. Y.	6036	586	543	43?	216	9?		60	1					1	1				4
TOTAL: ALL STATIONS UNDER 5000 STR. & MISC. UNITS	54496	729	693	36	248	18	10	48	6					7	6	7	7		526

FORM SG-945 11 DEG. 1944 * DOES NOT INCLUDE READMITTED CASES (i.e. CASES PREVIOUSLY REPORTED BY AN ARMY UNIT)
** SEE NATURE OF THE DATA, PAGE 2.

RESTRICTED

INDIVIDUAL STATIONS

RESTRICTED

VOLUME VI REPORT NO. 5
WEEK ENDING 1 February 194 6

WEEK ENDING I Pebruary	194 0											_							
		ANN	NUAL RA	TE		UAL COR 1000			ON		UMBE	R OF	CASE				OF EATH		ONS
SERVICE COMMAND AND STATION	MEAN STRENGTH	ALL GAUSES		INJURY	COLDS, INFLUENZA, ETC.,	PNEUMONIA CINCLUDING OATYPICAL)	DI ARRHEA 15 AND DYSENTERY	VENEREAL* TO (EXCLUDING EPTS)	MEASLES	MUMPS	SCARLET	M*COCCIC MENINGITIS	RHEUMATIC S	ATYPICAL PNEUMONIA	INFECTIOUS	ALL CAUSES	DISEASE	INJURY	DISPOSITIONS BY CDD
THIRD SERVICE COMMAND	178995	853	826	27	320	21	1?		36	9	8	3	1	34	4	4	4		526
	-																		
Aberdeen Prov. Grd., Md.	15655	1299	1289	10?	837	27		43	4		1			8					1
Geo. C. Meade, Ft., Md.	30279	744	732	12	177	21	2?	151	1		-			8					20
Indiantown Gap, Pa.	31020	654	632	22	97	17		85			1		1	10	1				18
Langley Field, Va.	6787	337	337		38?			237		1									5
Lee, Cp., Va. (RH)	32465	753	729	24	312	40		96	11	3	2								20
Pickett, Cp., Va.	24954	1186	1157	29	686	19		156	16	4	1	3		3_		3	3		7
TOTAL: ALL STATIONS UNDER 5000 STR. & MISC. UNITS	37835	881	823	58	217	11	3?	82	ц	1	3			5	3	1	1		455
MILITARY DISTRICT OF WASH.	49407	871	845	26	439	37		35	11	2	25	1		14	3	5	4	1	50
Belvoir, Ft., Va. (RH)	18419	1296	1273	23	805	88		59	2	2	25	1		11	1				7
Myer, Ft., Va.	6235	784	751	33?	359			33?	1			-			1				
Wash. Gen. Disp., D. C.	7924	637	617	20?	282	7?								1					
TOTAL: ALL STATIONS UNDER 5000 STR. & MISC. UNITS	16829	550	519	31	142	9?		25	8					2	1	5	4	1	43

FORM SG-945 II DEC. 1944

* DOES NOT INCLUDE READMITTED CASES (i.e. CASES PREVIOUSLY REPORTED BY AN ARMY UNIT)
** SEE NATURE OF THE DATA, PAGE 2.

RESTRICTED

WEEKLY HEALTH REPORT INDIVIDUAL STATIONS

RESTRICTED

VOLUME VI REPORT NO. 5 WEEK ENDING 1 February 194 6

WEEK ENDING I FORWARY	194 0							SI	0 N	S						N	UMBE OF	R	υ 2
SERVICE COMMAND	MEAN	PER IC	OO STRE	TE ENGTH		VAL CA		ATE GTH		N	JMBE					D	EATH	S	TI ON DD
STATION .	STRENGTH	ALL	DISEASE	INJURY	GOLDS, INFLUENZA, ETG.,	PNEUMONIA CINCLUDING ATYPICAL)	DI ARRHEA AND DYSENTERY	VENEREAL* (EXCLUDING EPTS)	MEASLES	MUMPS	SCARLET	M'COCCIC MENINGITIS	RHEUMATIC	ATYPICAL	INFECTIOUS HEPATITIS	ALL CAUSES	DISEASE	INJURY	NUMBER DISPOSITI BY CDC
FOURTH SERVICE COMMAND	382474	536	508	28	135	19	1	79	16	30	17	5	8	100	11	12	8	4	676
Benning, Ft., Ga. (RH)	26847	443	420	23?	66	6?		95		2		1		3					13
Rlanding, Cp., Fla. (RH)	7285	678	621	57	29?	14?		86	1	1				1		1	1		4
Boca Raton, Field, Fla.	5307	285	275	10?	10?	10?		20?		1			1						
Bragg, Ft., N. C. (RH)	58652	518	498	20	140	21		69		2	6			18	1	2	2		13
Butner, Cp., N.C. (Excl. Gen. & Conv. Hosp.)	10211	260	245	15?	61			25?		1									
Gordon, Cp., Ga.	8462	713	670	43	80	12?		61						2					7
Greensboro AAFORD, N. C. (RH)	39527	422	401	21	164	17		55	4	5		1	1	4		1	1		9
Jackson, Ft., S. C. (RH)	20877	439	404	35	22	7?		154	1					2	1				24
Keesler Field, Miss. (RH)	28593	709	693	16	366	47		9?	1	4	8	1	4	19	1	2	2		10
McClellan, Ft., Ala.	24635	752	714	38	220	84	4?	34		7	2			33	3	1	1		55
MacDill Field, Fla.	6547	397	373	24?	48			87											
Maxwell Field, Ala. (RH)	7369	479	423	56				85											
McPherson, Ft., Ga.	22924	594	574	20	129	27	2?	118	2	2				12	1				2
Shelby, Cp., Miss. (RH)	16133	825	799	26	203	13?	6?	148	4				1	3					12
TOTAL: ALL STATIONS UNDER 5000 STR. & MISC. UNITS	99105	501	466	35	109	5	3	95	3	5	1	2	1	3	4	5	1	4	527
					-														

FORM SG-945 11 DEC. 1944

* DOES NOT INCLUDE READMITTED CASES (i.e. CASES PREVIOUSLY REPORTED BY AN ARMY UNIT)
** SEE NATURE OF THE DATA, PAGE 2.

RESTRICTED

VOLUME VT REPORT NO. 5 WEEK ENDING 1 February 194 6

			-		
INDIVI	DI	JAL	STA	TI	ONS

						DM			0 N	S							UMBE OF		S Z
SERVICE COMMAND	MEAN	PER II	OOO STRE	NGTH		UAL CA		ATE STH		NI	JMBE	R OF				D	EATH:	3	TI ON
AND STATION	STRENGTH*	ALL	DISEASE	INJURY	COLDS, INFLUENZA, ETC.,	PNEUMONIA (INCLUDING ATYPICAL)	DIARRHEA AND DYSENTERY	VENEREAL* (EXCLUDING EPTS)	MEASLES	MUMPS	SCARLET	M'COCCIC MENINGITIS	RHEUMATIC	ATYPICAL	INFECTIOUS HEPATITIS	ALL CAUSES	DISEASE	INJURY	DISPOSITI BY CDD
FIFTH SERVICE COMMAND	130651	539	521	18	124	15	2?	50	6	5	15		4	7	12	7	4	1	561
Atterbury, Cp., Ind.	40588	562	561	1?	78	8	1?	54	1	1			2		1				
Campbell, Cp., Ky.	19129	402	386	16	122	24		46	1	2				5					7
Dayton, Ohio AAF Tech. Base	14003	527	490	37	71			26					2		1				1
Knox, Ft., Ky. (RH)	25616	595	577	18	250	41	2?	47	2		9			2	1	1	1		18
TOTAL: ALL STATIONS UNDER 5000 STR. & MISC. UNITS	31315	553	521	32	105	3?	3?	61	2	2	6				9	6	3	1	535
SIXTH SERVICE COMMAND	110981	606	579	27	133	16	3	56	9	4	4		2	18	20	7	5	1	323
Chanute Field, Ill. (RH)	11655	397	366	31	201	13?		31	1		1		1						1
Grant, Cp., Ill.	11809	1454	1436	18?	79	lılı	13?	119	1					10	5				7
McCoy, Cp., Wis.	11932	589	541	48	39	17?		17?	2		2			4	1				7
Scott Field, Ill. (RH)	10516	619	579	40	232	5?	15?	45	3	1				1	1	1		1	1
Sheridan, Ft., Ill. (RH)	35510	460	لبلبل	16	86	10		54		1	1			1	3				12
TOTAL: STATIONS UNDER 5000 STR. & MISC. UNITS	29559	528	498	30	186	18	2?		2	2			1	2	10	6	5		295

FORM SG-945 11 DEC. 1944

** DOES NOT INCLUDE READMITTED CASES (i.e. CASES PREVIOUSLY REPORTED BY AN ARMY UNIT)
** SEE NATURE OF THE DATA, PAGE 2.

INDIVIDUAL STATIONS

RESTRICTED

REPORT NO. 5 VOLUME VI WEEK ENDING 1 February 1946

		ANN	IJAL RA	TE		UAL CAR 1000			0 N		JMBE	P OF	CASE				UMBE OF EATH:		ON S
SERVICE COMMAND AND STATION	MEAN ** STRENGTH	ALL GAUSES	DISEASE		COLDS, INFLUENZA, ETC.,	PNEUMONIA (INCLUDING O ATYPICAL)	DIARRHEA TO AND DYSENTERY	VENEREAL* T (EXCLUDING EPTS)	MEASLES	MUMPS	SCARLET FEVER	M*COCCIC MENINGITIS	RHEUMATIC FEVER	ATYPICAL C	INFECTIOUS	ALL CAUSES	DISEASE	INJURY	NUMBER OF DISPOSITIONS BY CDD
SEVENTH SERVICE COMMAND	160429	735	706	29	256	15	4	56	19	52	37		8	7171	4	10	8	2	1419
Crowder, Cp., Mo. (RH)	25593	1344	1301	43	805	69	2?	43		26	30		2	32		,			8
Jefferson, Fks., Mo.	11784	631	627	4?	71	4?	4?	132		3_			1		3				1
Leavenworth, Ft., Kans.	19803	628	620	8?	108	11?	8?	39						4	1				9
Leonard Wood, Ft., Mo. (RH)	11173	1411	1378	33	489	14?	9?	98	6	7	3		2	3					21
Logan, Ft., Colo.	6034	-655	629	26?	69			26?											3
Lowry Field, Colo.	10935	400	362	38	105	10?	10?	57	6	3			2	2					1
Riley, Ft., Kansas	5479	721	693	28?	247	9?		19?						1		1		1	ь
Smoky Hill AAF, Kans.	5797	368	350	18?	126			54_		1									1
Snelling, Ft, Minn.	9306	14142	408	34	134			22?		6						1		1	
TOTAL: ALL STATIONS UNDER 5000 STR. & MISC. UNITS	54525	5140	505	35	132	2?	3?	56	7	6	4		1	2		8	8		401

FORM SG-945 11 DEC. 1944

* DOES NOT INCLUDE READMITTED CASES (i.e. CASES PREVIOUSLY REPORTED BY AN ARMY UNIT)
** SEE NATURE OF THE DATA, PAGE 2.

INDIVIDUAL STATIONS

RESTRICTED

WEEK ENDING 1 February 194 6

		A D M I S S I O N S ANNUAL RATE PER 1000 STRENGTH PER 1000 STRENGTH NUMBER QF CASES												OF	_	OF 1 ON S D			
SERVICE COMMAND	MEAN	PER I	DOO STRE	NGTH	PEI	3 1000	STREN	3TH		N	IMBE					Di	EATHS	5	R O
AND STATION	STRENGTH	ALL	DISEASE	INJURY	COLDS, INFLUENZA, ETC.,	PNEUMONIA (INCLUDING ATYPICAL)	DIARRHEA AND DYSENTERY	VENEREAL* (EXCLUDING EPTS)	MEASLES	MUMPS	SCARLET	M'COCCIC MENINGITIS	RHEUMATIC	ATYPICAL	INFECTIOUS HEPATITIS	ALL CAUSES	DISEASE	INJURY	NUMBER DISPOSITI
EIGHTH SERVICE COMMAND	298851	648	614	34	228	16	2	54	86	46	18	3	11	62	20	12	3	4	601
Bliss, Ft., Texas	17110	635	635		362	3?	6?	40	5	2	3		1						
Bowie, Cp., Texas (RH)	6851	380	380		76			30?		<u>la</u>			1		1				4
Chaffee, Cp., Ark.	21368	428	411	17	78	12?	2?	17	1	3				2	2				7
Harlingen AAF, Texas	5890	186	186		62			9?		1									
Hood, Cp., Texas	6200	655	596	59	84			25?											7
Jos. T. Robinson, Cp., Ark.	20954	1263	1164	99	598	30		25	5	6	3		1	10	1	1		1	24
New Orleans PoE, La.	16280	959	933	26	502	32		185	12	5	3			9	2	1		1	8
Randolph Field, Texas	7340	312	298	14?	120			28?											
San Houston, Ft., Texas	27624	643	634	9?	13			51											
San Antonio AAF, Texas (RH)	9616	1038	979	59	352	5?		65	2	4	4		4	1					17
Sheppard Field, Texas (RH)	28386	1057	1032	26	638	66	2?	27	40	8	4	2	1	23	1				23
Sill, Ft., Okla.	16265	592	557	35	249	6?		22	14					2					
Swift, Cp., Texas (RH)	18225	289	260	29	68	6?		6?		3				2	3				17
TOTAL: ALL STATIONS UNDER 5000 STR. & MISC. UNITS	96742	506	462	Lili	106	13	4	81	7	10	1	1	3	13	10	10	7	2	494
FORM SC-DAS II DEC 10A		OFG NOT		251011															

FORM SG-945 II DEC. 1944

* DOES NOT INCLUDE READMITTED CASES (i.e. CASES PREVIOUSLY REPORTED BY AN ARMY UNIT)
** SEE NATURE OF THE DATA, PAGE 2.

RESTRICTED

RESTRICTED

VOLUME VT REPORT NO. 5
WEEK ENDING 1 February 1946

WEEK ENDING I REDTURTY	1940				A	DM	IIS	SI	O N	S			TWE			N	UMBE	R	v)
SERVICE COMMAND	MEAN	ANN PER IC	IUAL RA			UAL C		ATE		NI	JMBE		CASE	ES		D	OF EATH	S	NO LI
STATION	STRENGTH	ALL	DISEASE	INJURY	COLDS, INFLUENZA, ETC.,	PNEUMONIA (INCLUDING ATYPICAL)	DI ARRHEA AND DYSENTERY	VENEREAL* (EXCLUDING EPTS)	MEASLES	MUMPS	SCARLET	M'COCCIC MENINGITIS	RHEUMATIC	ATYPICAL	INFECTIOUS	ALL CAUSES	DISEASE	INJURY	DISPOSITIONS BY CDD
NINTH SERVICE COMMAND	318625	525	492	. 33	126	11	4	44	48	29	9		2	42	21	9	4	5	508
	250.00	indi atala	- 3		- 1-									AUE					
Beale, Cp., Calif.	25161	567	548	19	149	10?	17	68	4	2	1			5					13
Cooke, Cp., Calif.	11625	210	161	49	49	, .		9?							1		-		2
Douglas, Ft., Utah	7271	1009	966	43	157	29?	7?			3					1				4
Hamilton Field, Calif. (RH)	9852	359	338	21?	48			26?	1000				-						3
Kearns AAFORD, Utah	13201	654	638	16?	429	12?	4?	87		5				3			1		9
Lawton, Ft., Wash.	9130	513	479	34	97	6?		46	2	1					4	1		1	
Lewis, Ft., Wash.	36173	428	418	10	204	12		14	16	9	3.	1,		2007	*.				4
Los Angeles PoE, Calif.	8966	435	406	29?	93	17?		58	90. 1			7		3					4.00
MacArthur, Ft., Calif.	19048	407	404	3?	5?	35	3?	57				1 2 2		13	1				2
March Field, Calif.	8064	264	219	45	32?	6?	6?	19?	17/15	1 2 2 2	P.			A 18-1	Ph.)	1		1	- 30 7
Ord, Ft., Calif. (RH)	23145	582	553	29	130		2?	52	6	5	1				100	1		1	4
Roberts, Cp., Calif.	12519	1002	956	46	141	42		25	13	3			11-	10		7175			15
Stoneman, Cp., Calif.	15487	551	524	27	40	3?	05 1100	.87							2				8
TOTAL: ALL STATIONS UNDER 5000 STR. & MISC. UNITS	118983	526	477	49	114	8	4	42	7	1	4		2	8	12	6	4	2	448
									10			1			3		*		
					1374							lini				1			12,00
			Ha		TE			-4			5				9				
					BUT I	Α-		LANCE OF STREET		1. 18	E 1			PAL				- 113	i dil
			1379		133			10	2.1	2.63									05.50

FORM SG-945 II DEC. 1944

 $\mbox{\ensuremath{\,^\star}}$ Does not include readmitted cases (i.e. cases previously reported by an army unit) $\mbox{\ensuremath{\,^\star}}\mbox{\ensuremath{\,^\star}}$ see nature of the data, page 2 .

RESTRICTED

LIST OF STATIONS WITH HIGHEST MORBIDITY RATES

STATIONS WITH STRENGTH OF 5000 OR OVER

RESTRICTED

STATION	CURRENT	PREVIOUS WEEK	STÄTION	CURRENT	PREVIOUS WEEK	STATION	CURRENT	PREVIOUS WEEK
ALL CAUS			DISEAS ANNUAL ADMISSION R		00 .	INJUR ANNUAL ADMISSION RA		
Grant, Cp., Ill.	1454	1190	Grant, Cp., Ill.	1436	1177	Jos.T. Robinson, Cp., Ark.	99	50
Leonard Wood, Ft., Mo.	1411	1849	Leonard Wood, Ft., Mo.	1378	1849	Hood, Cp., Texas	59	42
Crowder, Cp., Mo.	1344	1088	Crowder, Cp., Mo.	1301	1058	San Antonio AAF, Texas	59	21?
Aberdeen Prov. Grd., Md.	1299	1106	Aberdeen Prov. Grd., Md.	1289	1074	Blanding, Cp., Fla.	57	70
Belvoir, Ft., Va.	1296	1105	Belvoir, Ft., Va.	1273	1090	Maxwell Field, Ala.	56	53
Jos. T. Robinson, Cp., Ark.	1263	1032	Jos. T. Robinson, Cp., Ark.	1164	982	Cooke, Cp., Calif.	49	47
Pickett, Cp., Va.	1186	1011	Pickett, Cp., Va.	1157	991	McCoy, Cp., Wis.	48	NONE
COLDS, INFLUEN		*	PNEUMONIA (INCLUDI ANNUAL ADMISSION R			DIARRHEA AND I		
Aberdeen Prov. Grd., Md.	837	623	Belvoir, Ft., Va.	88	57	Beale, Cp., Calif.	17	10?
Belvoir, Ft., Va.	805	575	McClellan, Ft., Ma.	84	85			
Crowder, Cp., Mo.	805	709	Crowder, Cp., Mo.	69	59			
Pickett, Op., Va.	686	587	Sheppard Field, Texas	66	58			
Sheppard Field, Texas	638	916	Keesler Field, Miss.	47	24	Market State	4	
Jos. T. Robinson, Cp., Ark	598	604	Grant, Cp., Ill.	44	55			
New Orleans PoE, La.	502	381	Roberts, Cp., Calif.	42	33	NO OTHER STATIONS WITH SIX OF	R MORE CASE	s.
VENEREAL (EXCLU		PTS)	DISEASE EXCLUDING V	ENEREAL PER 1000	EPTS			
New Orleans PoE, La.	185	243	Grant, Cp., Ill.	1436	1177			
Pickett, Cp., Va.	156	119	Leonard Wood, Ft., Mo.	1373	1849	The state of the		
Jackson, Ft., S. C.	154	194	Crowder, Cp., Mo	1301	1058			
Geo. G. Meade, Ft., Md.	151	104	Aberdeen Prov. Grd., Md.	1289	1074			
Kilmer, Cp., N. J.	148	192	Belvoir, Ft., Va.	1273	1090			
Shelby, Cp., Miss.	148	143	Jos. T. Robinson, Cp., Ark.	1164	980			
Jefferson Eks., Mo.	132	57	Pickett, Cp., Va.	1157	991			

FORM SG-396E, 12 NOVEMBER 1943

VOLUME VI REPORT NO. 5

WEEK ENDING 1 February 1946

*Includes Acute Bronchitis, Acute Rhinitis, Coryza, Acute Tonsillitis, Acute Pharyngitis, Acute Nasopharyngitis, Acute Laryngitis, And Influenza

RESTRICTED

WEEK ENDING 1 February 19 46

VOLUME_VT_ REPORT NO. 5 LIST OF CASES OF DISEASES WHICH ARE OF SPECIAL INTEREST

UNDULANT FEVER (2) 1-Monmouth, Ft., N. J. 1-Pasadena, Calif. (RH) KERATOCONJUNCTIVITIS (1)	DIPHTHERIA (5) 3-Kilmer, Cp., N. J. 1-Sheridan, Ft., Ill. 1-Jefferson, Eks., Mo.	AMERIC DYSINTERY (32) 2-Devens, Ft., Mass. 1-Dix, Ft., N. J. 2-Mitchel Field, N. Y. 1-West Point (Regular Army) 1-George G. Meade, Ft., Md. 1-Moore GH, N. C. 1-Atterbury, Op., Ind. 1-Crile GH, Ohio 2-Sheridan, Ft., Ill. 1-Jefferson Eks., Mo. 2-Leavenworth, Ft., Kans. 1-Logan, Ft., Colo. 1-Schick GH, Iowa 3-Fannin, Op., Texas 1-San Antonio AAF, Texas 1-Sheppard Field, Texas 1-Wm. Beaumont GH, Texas 1-Wm. Beaumont GH, Texas 1-MacArthur, Ft., Calif. 2-Pasadena, Calif. (RH)	DENGUE FEVER (1)	COCCIDIOIDOMYCOSIS (3) I-Rhoads, CH, N.Y I-Florence PW, Cp:, Ariz. I-Minter Field, Calif.	LISTING LIMITED TO STATIONS REPORTING IO OR MORE CASES STREPTOCOCCAL SORE THROAT 16-George G. Meade, Ft., Md. BACTERIAL FOOD POISONING 3-Sheridan, Ft., Ill. GERMAN MEASLES
I-Boston ASTU, Mass.	I-Mitchel Field, N. Y.	I-McCoy, Cp., Wis.	I-Mayo GH, III	I-Los Angeles PoE, Calif.	1-Barksdale AAF, La. ARMY SERVICE FORCES

FORM SG - 902 - 8 July 1944

RESTRICTED

.